

TECHNICAL DATA SHEET
LEFT-LUGGAGE LOCKERS

METAL DEPARTMENTS

by  **MEGABLOK**





CHARACTERISTICS

Welded Monoblok locker boxes, manufactured with cold laminated sheet metal DC01, according to the European Norm EN 10130, with a carbon content of less than 0,12%.

Metal thickness of 0.8mm.

Point welding process.

Previous treatment of passivating and degreasing.

Dried in a polymerization oven at 180°C during 15 minutes.

Painting with Epoxy-polyester powder in robotized cabins.

Body and doors painted in grey RAL 7035 Micro-textured finish. Minimum thickness of the painting: 50 microns.

Chromed standard cylinder locks with two keys per door or coin operated lock (1E coin returnable) with removable cylinder and 2 keys.

Screws and nuts to join the locker boxes together with each other included.

Monoblok construction.

Stackable. Can be joined together to form sets.



SERIE 350




SERIE MINIBOX



SERIE LOCKER




COLOURS



LOCKS




OPTIONS





COMBINATIONS AND DIMENSIONS


350 SERIES



DEP351
COD: 35010
7kg · 0,04m³




CON351
COD: 35011
8kg · 0,04m³



DEP352
COD: 35020
14kg · 0,09m³



CON352
COD: 35021
16kg · 0,09m³




DEP353
COD: 35030
21kg · 0,13m³



CON353
COD: 35031
22kg · 0,13m³




MINIBOX SERIES



BOX8P
COD: 11301
22kg · 0,14m³



LOCKER SERIES



LOC300
COD: 30010
8kg · 0,07m³



INTERIOR MEASUREMENTS (mm)

MODEL	HEIGHT	WIDTH	DEPTH
DEP351 / CON351	318	278	318
DEP352 / CON352	318	278	318
DEP353 / CON353	318	278	318
BOX8P	114	279	324
LOC300	458	228	418