




TECHNICAL DATA SHEET
OPEN SPACES
CUBIC SERIES

by  **MEGABLOK**





CHARACTERISTICS

Body

Made of water-repellent medium-density fibreboard, 16 mm thick and covered with decorative paper impregnated with melamine resins. Edged in white PVC.

This board complies at least with the characteristics specified in the UNE-EN 312 standard for board type P3:

Property	Flexion	MOE	Trac. Perp.	Trac. Sup.	Hinch. 24 h	Trac. Perp. (T-313)	Hinch. 24 h (T-313)	Trac. Perp. (T-100)
Test	UNE-EN 310	UNE-EN 310	UNE-EN 319	UNE-EN 311	UNE-EN 317	UNE-EN 321	UNE-EN 321	UNE-EN 1087-1
Units	N/mm ²	N/mm ²	N/mm ²	N/mm ²	%	N/mm ²	%	N/mm ²
3 - 4	- 13,0	- 1.800	- 0,50	- 0,80	- 17,0	- 0,18	- 15,0	- 0,09
> 4 - 6	- 14,0	- 1.950	- 0,50	- 0,80	- 16,0	- 0,18	- 14,0	- 0,09
> 6 - 13	- 15,0	- 2.050	- 0,45	- 0,80	- 14,0	- 0,15	- 14,0	- 0,09
> 13 - 20	- 14,0	- 1.950	- 0,45	- 0,80	- 14,0	- 0,13	- 13,0	- 0,08
> 20 - 25	- 12,0	- 1.850	- 0,40	- 0,80	- 13,0	- 0,12	- 12,0	- 0,07
> 25 - 32	- 11,0	- 1.700	- 0,35	- 0,80	- 13,0	- 0,10	- 12,0	- 0,07
> 32 - 40	- 9,0	- 1.550	- 0,30	- 0,80	- 12,0	- 0,09	- 11,0	- 0,06
> 40	- 7,0	- 1.350	- 0,25	- 0,80	- 12,0	- 0,08	- 11,0	- 0,06

(*) Compliance with T-313 or T-100 is sufficient.

With interior flat.

Including legs.

HPL doors option

Made of compact phenolic resin board.

Rigid, water-repellent, antibacterial and suitable for wet areas.

Highly resistant to wear and tear, making it ideal for applications with a high rate of use and frequent cleaning.

Black core.

In accordance with European standards EN 438-1 and EN 438-2. Density 1450 Kg/m³ according to DIN 53479. Water absorption less than 3%.

12 mm thick board. Rounded edges.


Maintenance free.

Back

Made of 16 mm thick water-repellent medium-density fibreboard.

COLOURS

Melamine body



M-060

HPL doors



F-085

F-0074

F-0851

F-0010

F-0011

F-0232

F-0210

F-0725

F-6901

F-2478



F-0318

F-0718

F-0717

F-0193

F-0077

F-0080

FM-100

FM-200

FF-405

LOCKS



Standard: Key lock



Padlockable Polyamide Lock



Padlockable Metallic Lock 2



Metal handle



Lock of 4 manual digits with emergency key



Electronic lock combination of 4 digits NEXT 1



Electronic lock combination of 4 digits NEXT 2



Electronic lock combination of 4 digits SOLA



Electronic lock combination of 4 digits VERSA MINI



Electronic lock combination of 4 digits TELEC



Electronic lock combination of 4 digits ELOCK



Electronic lock combination of 4 digits PROXI 2



Electronic lock combination of 4 digits PROXI 3



Electronic lock combination of 4 digits VERSA MINI


OPTIONS



Inner mailbox.



Numbering.



Vertical dividers



Ceiling trim.




Side coat rack.




4 wheels, 2 of them with brakes.

COMBINATIONS AND DIMENSIONS


CUBIC-SIMPLE SERIES




CUBIC-SIMPLE-C-30/2




CUBIC-SIMPLE-D-30/2




CUBIC-SIMPLE-E-30/2




CUBIC-SIMPLE-C-40/2




CUBIC-SIMPLE-D-40/2




CUBIC-SIMPLE-E-40/2




CUBIC-SIMPLE-C-30/3




CUBIC-SIMPLE-D-30/3




CUBIC-SIMPLE-E-30/3



CUBIC-SIMPLE-C-40/3




CUBIC-SIMPLE-D-40/3




CUBIC-SIMPLE-E-40/3


CUBIC-DOBLE SERIES




CUBIC-DOBLE-C-30/2




CUBIC-DOBLE-D-30/2




CUBIC-DOBLE-E-30/2



CUBIC-DOBLE-C-40/2



CUBIC-DOBLE-D-40/2



CUBIC-DOBLE-E-40/2